ABSTRACT OF THE DISCLOSURE

A light-driven energy generation system using proteorhodopsin is provided. Proteorhodopsin sequences were retrieved and amplified from naturally occurring members of the domain Bacteria using proteorhodopsin-specific polymerase chain reaction primers. Proteorhodopsin sequences were placed in expression vectors for production of proteorhodopsin proteins in a host, for instance, *E. coli* and other bacteria. The system also includes a light source and a source of retinal, that allows the system to convert light into biochemical energy. The generated biochemical energy could be mediated into electrical energy by a mediator.

10

5

DEPOSITS

Depository address: 10801 University Boulevard, Manassas, VA 20110.

The Escherichia coli containing cloned DNA BAC 31A8 having assigned ATCC number PTA-3083, the Escherichia coli containing cloned DNA BAC 40E8 having assigned ATCC number PTA-3082, the Escherichia coli containing cloned DNA BAC 41B4 having assigned ATCC number PTA-3080, and the Escherichia coli containing cloned DNA BAC 64A5 having assigned ATCC number PTA-3081, all having been deposited on February 21, 2001 with the ATCC Patent Depository.

20

The Escherichia coli containing a plasmid PAL E6 having assigned ATCC number PTA-3250, the Escherichia coli containing a plasmid HOT 0m1 having assigned ATCC number PTA-3251, the Escherichia coli containing a plasmid HOT 75m4 having assigned ATCC number PTA-3252, and the Escherichia coli containing cloned DNA BAC64A5 having assigned ATCC number PTA 3082, all having been deposited on March 30, 2001 with the ATCC Patent Depository.

25

LIGHT-DRIVEN ENERGY GENERATION USING PROTEORHODOPSIN

LIST OF SEQUENCES THAT ARE LISTED IN THE INCORPORATED SEQUENCE LISTING

5 bacterial artificial chromosome (BAC) clone 31A8 (EBAC31A8). **Sequence ID No:1** nucleotide sequence of proteorhodopsin-specific polymerase chain **Sequence ID No:2** reaction (PCR) primer 1. 10 nucleotide sequence of proteorhodopsin-specific polymerase chain Sequence ID No:3 reaction (PCR) primer 2. nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:4 clone EBAC31A8 (Sequence ID No. 1) using PCR primers according 15 to Sequence ID No:2 and Sequence No:3. deduced amino acid sequences of the proteorhodopsin gene amplified **Sequence ID No:5** from clone EBAC31A8 (Sequence ID NO:4). 20 native proteorhodopsin nucleotide sequence from clone EBAC31A8 **Sequence ID No:6** (Sequence ID No:1).

Sequence ID No:7 deduced amino acid sequences of the native proteorhodopsin nucleotide sequence from clone EBAC31A8 (Sequence ID No:6).

20

25

5

10

nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:8 clone EBAC40E8 using PCR primers according to Sequence ID No:2 and Sequence No:3. deduced amino acid sequences of the proteorhodopsin gene amplified Sequence ID No:9 from clone EBAC40E8 (Sequence ID NO:8). nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:10 clone EBAC41B4 using PCR primers according to Sequence ID No:2 and Sequence No:3. deduced amino acid sequences of the proteorhodopsin gene amplified Sequence ID No:11 from clone EBAC41B4 (Sequence ID NO:10). nucleotide sequence of the proteorhodopsin gene amplified from **Sequence ID No:12** clone EBAC64A5 using PCR primers according to Sequence ID No:2 and Sequence No:3. deduced amino acid sequences of the proteorhodopsin gene amplified **Sequence ID No:13** from clone EBAC64A5 (Sequence ID NO:12). nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:14 clone HOT0m1 using PCR primers according to Sequence ID No:2

and Sequence No:3.

	Sequence ID No:15	deduced amino acid sequences of the proteorhodopsin gene amplified
		from clone HOT0m1 (Sequence ID NO:14).
5	Sequence ID No:16	nucleotide sequence of the proteorhodopsin gene amplified from clone HOT75m1 using PCR primers according to Sequence ID No:2 and Sequence No:3.
	Sequence ID No:17	deduced amino acid sequences of the proteorhodopsin gene amplified
	•	from clone HOT75m1 (Sequence ID NO:16).
10	Sequence ID No:18	nucleotide sequence of the proteorhodopsin gene amplified from clone HOT75m3 using PCR primers according to Sequence ID No:2 and Sequence No:3.
15	Sequence ID No:19	deduced amino acid sequences of the proteorhodopsin gene amplified
	-	from clone HOT75m3 (Sequence ID NO:18).
20	Sequence ID No:20	nucleotide sequence of the proteorhodopsin gene amplified from clone HOT75m4 using PCR primers according to Sequence ID No:2 and Sequence No:3.
	Sequence ID No:21	deduced amino acid sequences of the proteorhodopsin gene amplified from clone HOT75m4 (Sequence ID NO:20).

5

10

Sequence ID No:22 nucleotide sequence of the proteorhodopsin gene amplified from clone HOT75m8 using PCR primers according to Sequence ID No:2 and Sequence No:3.

Sequence ID No:23 deduced amino acid sequences of the proteorhodopsin gene amplified from clone HOT75m8 (Sequence ID NO:22).

Sequence ID No:24 nucleotide sequence of the proteorhodopsin gene amplified from clone MB0m1 using PCR primers according to Sequence ID No:2 and Sequence No:3.

Sequence ID No:25 deduced amino acid sequences of the proteorhodopsin gene amplified from clone MB0m1 (Sequence ID NO:24).

Sequence ID No:26 nucleotide sequence of the proteorhodopsin gene amplified from clone MB0m2 using PCR primers according to Sequence ID No:2 and Sequence No:3.

Sequence ID No:27 deduced amino acid sequences of the proteorhodopsin gene amplified from clone MB0m2 (Sequence ID NO:26).

Sequence ID No:28 nucleotide sequence of the proteorhodopsin gene amplified from clone MB20m2 using PCR primers according to Sequence ID No:2 and Sequence No:3.

25

	Sequence ID No:29	deduced amino acid sequences of the proteorhodopsin gene amplified
		from clone MB20m2 (Sequence ID NO:28).
	Sequence ID No:30	nucleotide sequence of the proteorhodopsin gene amplified from
		clone MB20m5 using PCR primers according to Sequence ID No:2 and Sequence No:3.
	Sequence ID No:31	deduced amino acid sequences of the proteorhodopsin gene amplified
		from clone MB20m5 (Sequence ID NO:30).
	Sequence ID No:32	nucleotide sequence of the proteorhodopsin gene amplified from
		clone MB20m12 using PCR primers according to Sequence ID No:2
		and Sequence No:3.
	Sequence ID No:33	deduced amino acid sequences of the proteorhodopsin gene amplified
		from clone MB20m12 (Sequence ID NO:32).
	Sequence ID No:34	nucleotide sequence of the proteorhodopsin gene amplified from
		clone MB40m1 using PCR primers according to Sequence ID No:2
)		and Sequence No:3.
	Sequence ID No:35	deduced amino acid sequences of the proteorhodopsin gene amplified
		from clone MB40m1 (Sequence ID NO:34).

5

10

Sequence ID No:36 nucleotide sequence of the proteorhodopsin gene amplified from clone MB40m5 using PCR primers according to Sequence ID No:2 and Sequence No:3.

Sequence ID No:37 deduced amino acid sequences of the proteorhodopsin gene amplified from clone MB40m5 (Sequence ID NO:36).

Sequence ID No:38 nucleotide sequence of the proteorhodopsin gene amplified from clone MB40m12 using PCR primers according to Sequence ID No:2 and Sequence No:3.

Sequence ID No:39 deduced amino acid sequences of the proteorhodopsin gene amplified from clone MB40m12 (Sequence ID NO:38).

Sequence ID No:40 nucleotide sequence of the proteorhodopsin gene amplified from clone MB100m5 using PCR primers according to Sequence ID No:2 and Sequence No:3.

Sequence ID No:41 deduced amino acid sequences of the proteorhodopsin gene amplified from clone MB100m5 (Sequence ID NO:40).

Sequence ID No:42 nucleotide sequence of the proteorhodopsin gene amplified from clone MB100m7 using PCR primers according to Sequence ID No:2 and Sequence No:3.

25

	Sequence ID No:43	deduced amino acid sequences of the proteorhodopsin gene amplified
		from clone MB100m7 (Sequence ID NO:42).
5	Sequence ID No:44	nucleotide sequence of the proteorhodopsin gene amplified from clone MB100m9 using PCR primers according to Sequence ID No:2 and Sequence No:3.
10	Sequence ID No:45	deduced amino acid sequences of the proteorhodopsin gene amplified from clone MB100m9 (Sequence ID NO:44).
	Sequence ID No:46	nucleotide sequence of the proteorhodopsin gene amplified from clone MB100m10 using PCR primers according to Sequence ID No:2 and Sequence No:3.
15	Sequence ID No:47	deduced amino acid sequences of the proteorhodopsin gene amplified from clone MB100m10 (Sequence ID NO:46).
20	Sequence ID No:48	nucleotide sequence of the proteorhodopsin gene amplified from clone PALB1 using PCR primers according to Sequence ID No:2 and Sequence No:3.
	Sequence ID No:49	deduced amino acid sequences of the proteorhodopsin gene amplified from clone PALB1 (Sequence ID NO:48).

MBA-101

nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:50 clone PALB2 using PCR primers according to Sequence ID No:2 and Sequence No:3. 5 Sequence ID No:51 deduced amino acid sequences of the proteorhodopsin gene amplified from clone PALB2 (Sequence ID NO:50). nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:52 clone PALB5 using PCR primers according to Sequence ID No:2 and 10 Sequence No:3. Sequence ID No:53 deduced amino acid sequences of the proteorhodopsin gene amplified from clone PALB5 (Sequence ID NO:52). 15 nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:54 clone PALB7 using PCR primers according to Sequence ID No:2 and Sequence No:3. deduced amino acid sequences of the proteorhodopsin gene amplified **Sequence ID No:55** from clone PALB7 (Sequence ID NO:54). 20 nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:56 clone PALB6 using PCR primers according to Sequence ID No:2 and

25

Sequence No:3.

5

10

deduced amino acid sequences of the proteorhodopsin gene amplified Sequence ID No:57 from clone PALB6 (Sequence ID NO:56). nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:58 clone PALB8 using PCR primers according to Sequence ID No:2 and Sequence No:3. deduced amino acid sequences of the proteorhodopsin gene amplified Sequence ID No:59 from clone PALB8 (Sequence ID NO:58). nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:60 clone PALE1 using PCR primers according to Sequence ID No:2 and Sequence No:3. deduced amino acid sequences of the proteorhodopsin gene amplified **Sequence ID No:61** from clone PALE1 (Sequence ID NO:60). nucleotide sequence of the proteorhodopsin gene amplified from Sequence ID No:62 clone PALE6 using PCR primers according to Sequence ID No:2 and Sequence No:3. 20

Sequence ID No:63

deduced amino acid sequences of the proteorhodopsin gene amplified from clone PALE6 (Sequence ID NO:62).

MBA-101

Sequence ID No:64 nucleotide sequence of the proteorhodopsin gene amplified from clone PALE7 using PCR primers according to Sequence ID No:2 and Sequence No:3.

5 **Sequence ID No:65** deduced amino acid sequences of the proteorhodopsin gene amplified from clone PALE7 (Sequence ID NO:64).